

# WINDCAT 28



## QUICK INFO

<b>Max speed [knots]</b>	30
<b>Service speed [knots]</b>	26
<b>Consumption ltr/ Hr at service speed</b>	280
<b>Carrying capacity [tons]</b>	4
<b>Bollard push [tons]</b>	12
<b>PAX</b>	12 (+6 IP optional)
<b>Dimensions</b>	
› Length over all [L.o.a.]	17.46 m
› Beam over all	6.5 m
› Operational Draft	2.0 m

<b>Free deck space</b>	Fore deck 22 m <sup>2</sup> Aft deck 6 m <sup>2</sup>
<b>Gross tonnage [GT]</b>	67.0
<b>Crane (optional)</b>	Hiab 0-27 1.8 t SWL

Pushing **Energy**  
to the **Max**




## INFO

<b>Year of building</b>	2012
<b>Construction</b>	Aluminium alloy
<b>Main engines</b>	2x MTU 8V2000M72, 720 KW
<b>Propulsion</b>	2x Servogear Ecoflow variable pitch propellers
<b>Flagstate</b>	German Flag Offshore Service Craft
<b>Classification</b>	DNV GL 100 A5 Workboat HSDE III
<b>Fender system</b>	Unique soft core energy absorbent fender



Pushing **Energy**  
to the **Max**





**Accommodation**

Comfortable seats and desk seating, heated room for sensitive goods. Seating is arranged for 12 PAX on comfortable, reclining seats giving good outside views, benches and tables with computer points. A full entertainment set is provided with a games console. Cooking, coffee and tea facilities are available, as well as a shower, toilet and WiFi connection.

**Storage**


22 m<sup>2</sup> fore deck for carriage of storage. Internal storage racks for bags and equipment.

**Navigation equipment**

All navigation equipment is wheel marked where required consisting of plotter, radar, GPS, SART, EPIRB, AIS type A, depth sounder, VHF (2x), Seamarshall crewfinder.

**Key systems**

- › **Electrical** 12/24/220 Volt
- › **Fuel** Total capacity of tanks 5.000 liter
- › **Fresh water** Total capacity of 200 liter



**Safety equipment**

Lifejackets 16 permanent buoyancy, 3 immersion suits (20 possible), Life raft capacity 2x20 persons capacity, Lifebuoys 3, 2 with lines and 1 with light, Defibrillator Defibtech DDU-100, 1x mob rescue sling, 1x rescue net, Engine rooms: Fire pro system; Extinguishers: 13  
 › 9 Dry powder  
 › 2 foam  
 › 2 CO<sub>2</sub>

**Other equipment (optional)**

- › High pressure washers can be fitted if required
- › Equipment for de-icing of turbines



**FRS WINDCAT®**



Pushing **Energy**  
to the **Max**

**FRS Windcat Offshore Logistics GmbH**

Norderhofenden 19 – 20 · 24937 Flensburg · Tel. +49 (0)461 864 - 0 · E-Mail: [info@fwol.de](mailto:info@fwol.de) · [www.fwol.de](http://www.fwol.de)